Solicitation Response(SR) Dept: 0310 ID: ESR04162500000006290 Ver.: 1 Function: New Phase: Final

Modified by batch, 04/22/2025

procurement@smith-root.con

Phone: 360-573-0202

Header ∅1 ⊟

Contact Default Values Discount Document Information Clarification Request **General Information Procurement Folder:** SO Doc Code: 1562536 **ARFQ Procurement Type:** SO Dept: 0310 Agency Purchase Order Vendor ID: SO Doc ID: 000000230185 DNR2500000004 **Published Date:** Legal Name: SMITH ROOT INC 4/15/25 Close Date: Alias/DBA: 4/22/25 Close Time: Total Bid: 13:30 \$533,547.00 Status: Response Date: Closed 04/16/2025 **Solicitation Description:** Response Time: WRS:(3) Electrofishing Box, Generator, Boat 18:53 w/Motor, Trailer Responded By User ID: **Total of Header Attachments:** smithroot2 First Name: **Total of All Attachments:** Tammy **Last Name:** Lucas Email:



April 14, 2025

#### RE: ARFQ 0310 DNR2500000004 Smith-Root Electrofishing Boats

Dear James H Adkins,

Thank you for the opportunity to provide a quote for the Electrofishing Boat Package for DNR. Smith-Root, Inc (SRI) is a world leader in Electrofishing and environmental DNA (eDNA) sampling technology. SRI is the developer and sole producer of the SR-16HX and SR-20EHX turn-key Commercial Electrofishing Vessels. Our Research Electrofishing Boats are manufactured using proprietary arts from the SRI design team and distributed directly from our factory location in Vancouver, Washington USA. The SR-16HX and SR-20EHX Electrofishing Boats are turn-key commercial electrofishing vessels with the Apex Electrofishers built into the center console of the boat. Due to the high demand for our standard turn-key electrofishing vessels, we are not offering any custom economy style boat hull at this time,like the previous purchased boats during COVID times. Since these commercial electrofishing vessels are not custom economy hulls they meet or exceeds the specifications listed. In this bid packet, you will also notice a qty of 3 portable Apex Electrofishing control boxes that can be used with multiple units (Jon boat, barge, raft, etc). These units are in addition to the Apex Electrofishers that are built into the center consoles of the boats. SRI will be taking exceptions to the following requirements listed below.

Page 24 Section 3.3.5.3 Left side Throttle Control (boats requiring twin engines will have throttle controls on both sides of the console and not just left side.)

Page 24 Section 3.3.5.5 Heavy duty pedestal seat with under seat storage. (SRI boats are integrated with a captain's bench seat)

Page 26 Section 3.4.3 Must be between twenty-foot, and twenty-foot six inches in length. (SRI 20ft EHX is 20 foot 10 inches in length.)

Page 26 Section 3.4.6 Must have starboard side console with the following: (SRI consoles are positioned in the center of the boat for safety and stability.)

Page 26 Section 3.4.6.3 Right side Throttle Control (boats requiring twin engines will have throttle control on both sides of the console and not just Right side.)

Page 26 Section 3.4.6.5 Cross Bench with dual seats, one heavy duty pedestal seat for driver. (SRI boats are integrated with a captain's bench seat only.)

Page 26 Section 3.4.6.6 Under seat storage with lockable lid and drainage hole with plug. (SRI boats are integrated with a captain's bench seat that does not have under seat storage.)

Page 27 Section 3.4.6.13 Lockable glove box with key with a minimum of one spare key. (SRI boats aren't integrated with a glove box. There is a small box where the patch panel is located on the back of the command center console.)

Page 27 Section 3.4.9 Must have easily removable horizontal LiveWell in front of console with quick release latches or equivalent for removal. (SRI boats are designed with safety in mind and although the LiveWell is removable, quick release latches pose a safety risk when the LiveWell is full and therefore are not available with our boats.)

Page 27 Section 3.4.9.1 Minimum 90 gallon. (SRI 20ft EHX boat only offers a 74-gallon LiveWell due to size and length.)

Page 28 Section 3.4.22 Must have shallow water anchor. (due to weight and safety restrictions, shallow water anchors (power poles) are not available for SRI electrofishing boats.)

Page 29 Section 3.5.11.1 Must have roller bunks for Item 3.4 (The use of roller bunks invalidates the warranty of the SRI boat hull. See limited warranty policy.)

Since 1964 Smith-Root has continually produced the highest quality products for fisheries, fish-culture and invasive species control. Products include environmental DNA collection and detection products, backpack, boat and shore electrofishing equipment, electric fish-barriers, hatchery fish-stunning and sorting, fish counting, and electric-fish- handling gloves.

See attached quote# Q-22550-00 and bid packet. The current lead time is 540 days ARO or sooner.

UEI# PD45MS78A175 EIN -FED ID#: 91-0843323

CCR - 55158 Cage Code - Central Contact Registration SRI

Incorporated date: 3/26/1969

SRI Qualifies as Small Business with 40 employees (SBA Annual Receipts or average number of employees) Please let me know if you have any questions or need additional information.

Thank you,

Mike Armstrong Jr.

Mike Armstrong Jr.

marmstrong@smith-root.com

360-573-0202x2112



Quotation Valid Thru: 06/11/2025

Bill To: 003756 Ship To:

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Qı	uote Date		Your Request #	FOB	S	hip Via	Salesperson
04/	/11/2025	А	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / F	Rev / De	escription		Quantity Quoted	Unit Price	Extended Price
001	12038	000	ELECTROFISHER SY INCLUDES:	S APEX CNTRL BOX	3.0000 EA	16,053.00	US\$ 48,159.00
			11241 MANUAL				
			12037 APEX CONT	ROL BOX			
			12040 FOOTSWITC	CH 15FT CABLE			
			12042 ANODE CAB	SLE 15 FT			
		12043 CATHODE CABLE 15 FT		ABLE 15 FT			
	12044 INPUT POWER CABLE 30A 10FT						
	12067 HAT SRI APEX						
	12095 APEX BOX CARRY CASE						
	Generator requirements:		ents:				
		Maximum Output: to reach maximum rated control box outpu		reach maximum rated control box output,			
			use an 8000 running	g watt 240 volt output. Continuous 240V at			
			33A 50/60Hz single	phase.			
			Smaller Generators	lower power generators can be used.			
			Generators must be	240 VAC output.			
			Unbonded: Generat	or must have un-bonded or floating neutral			
			Plug: Standard plug	twist lock 4-pin plug designed for 220-volt			
			30 amps, NEMA nu	mber L14-30P			
			The APEX is the on	ly electrofisher with built in scientific data			
			monitoring and reco	rding that allows the biologist to download			
			the recorded data vi	a flash drive for analyzing and mapping.			
			This is not offered o world.	n any other electrofishing equipment in the			
			The APEX Boat elec	ctrofisher records more than 24 hours of			
			GPS, electrical inpu	t, electrical outputs, warning codes, and			
			•	ation for every second of electrofishing.			
			Additionally, it is the	only boat electrofisher to have a built in			



Quotation Valid Thru: 06/11/2025

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Attention: JAMES ADKINS Terms: NET 30

Qu	ote Date	Your Re	equest #	FOB	S	hip Via	Salespers	son
04/	11/2025	ARFQ0310	DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA	
Item	Part /	Rev / Description	•		Quantity Quoted	Unit Price	Extended Price	е
		USB p	oort to downloa	ad all electrofishing data while also allowing				
		the up	oload of new so	oftware. See attached sole source letter.				
		PRICI	E INCLUDES S	SHIPPING,HANDLING AND INSURANCE.				
				OX ONE SHIPPED TO:				
			NR District 1 C	office				
			Railroad St.					
	Farmington, WV 26571							
		APEX	CONTROL B	OX TWO SHIPPED TO:				
		WVDI	NR District 4 C	rffice				
		2006	Robert C. Byro	l Dr.				
		Beckle	ey, WV 25801					
		APEX	CONTROL B	OX THREE SHIPPED TO:				
		WVDI	NR District 6 C	office				
		76 Co	nservation Wa	у				
		Parke	rsburg, WV 26	104				
002	12054			TROFISHER APEX CTROFISHING VESSEL	2.0000 EA	112,195.00	US\$ 224,39	0.00
		Smith	-Root electrofi	shing commercial vessels are the only				
		purpo	se-built electro	fishing hulls in the world. They provide the				
		highe	st degree of sa	fety and utility because of their				
		comp	ensation for we	eight distribution and stability. In contrast to				
		the tra	aditional appro	ach of simply adding an electrofisher box to				
		an exi	sting recreatio	nal hull, Smith-Root fully integrates the				
		APEX	electrofishing	controls into the captain command station.				
	RIGINAL				1			

**ORIGINAL** 

2

Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Quo	ote Date	Your Request #	FOB	Ship Via		Salesperson
04/1	1/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		This provides utility	across the most diverse environmental			
		conditions and a bro	ad range of fish sizes and species.			
		Additionally, the AP	EX control box is the only electrofisher in the			
		world that records e	lectrical inputs and outputs, along with GPS			
		location, date, and t	ime for every second of electrofishing. The			
		integrated USB drive allows for rapid downloading of				
		electrofishing data for unparalleled electrofishing fleet				
		standardization.				
		* = unique to Smith-	Root electrofishing vessels			
		Engineered, manufa	actured, and fabricated at Smith-Root			
		headquarters in Var	couver, Washington, USA*			
		Commercial Hull Co	nstruction and Exterior			
		o 16HX-Model He	avy-Duty Semi-V Bow 10 degree to flat stern			
		hull*				
		o 80-inch beam, 2	8-inch sides, 25-inch transom, 16-foot,			
		8-inches long				
		o Inside and outsi	de all-welded seams			
		o Custom-formed	chine 6061-T6 aluminum to protect double			
		welded bottom sean	ns*			
		o Heavy duty dou	ble "H" channel transom designed and built			
		to resist damage that	at can happen in or out of the water *			
		o Proprietary herri	ng bone support/rib system that creates			
		unparalleled hull flex	kibility for long term vessel safety and			
		stability*				
		o Pressed-in corru	ugations for structural strength and tracking*			
		o Closed-cell marine grade polyurethane flotation foam				
		sprayed in along both sides and below the deck line offering				
	upright, level flotation that exceeds the standards mandated by					
-	NOIN A I					

Quotation Valid Thru: 06/11/2025

Bill To: 003756 Ship To:

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Qu	ote Date	Your Request #	FOB	5	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		the US Coast Guard	*			
		o Spray foam crea	ates a watertight finish that protects the boat			
		from corrosive cond	ensation that happens while on the water.			
		Spray foam also sea	als hollow hull areas from Aquatic Invasive			
		Species; other man	ufacturers deliberately choose to leave vast			
		inner hull and deck	cavities empty. Hollow hull and deck areas			
		create more noise a	nd less structural support*			
		o The extra foam	delivers a noticeably stronger, quieter and			
		more solid performa	ince*			
	o T bar welded bow eye at the front attachment point with tw					
	holes for securing the boat to a winch/trailer					
	o 8" stern cleats with bolt on retractable trailer tie downs					
		Boat Interior				
		o Full integrated 0	Captain's Command Center*			
		o Large forward d	ry storage compartments with 2 lockable			
		marine doors				
		o Non-skid alumir	num tread plate floor			
		o All flooring is co	mpletely sealed using one level sturdy			
		diamond plate decki	ing*			
		o Interior has indu	strial powder-coat finish for durability			
		o 2-12-gallon built	-in USCG and EPA Compliant fuel tanks for			
		outboard engine*				
		o Exterior fuel filling	ng for ease at fueling stations*			
		o Unique hull ider	itification number			
		o Integrated batte	ry storage compartments*			
		o Research vesse	el hull badges			
						<u> </u>



Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

SOUTH CHARLESTON WV 25303-1228

**United States** 

Qu	ote Date	Your Request #	FOB	S	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / Ro	ev / Description		Quantity Quoted	Unit Price	Extended Price
		o LED Navigation	lights			
		o LED Headlights	*			
		o LED Backup ligl	hts*			
		o LED Deck lights	*			
		o LED Livewell lig	hts*			
		o LED Workup lig	hts*			
		o Marine fuel filter				
		<ul> <li>Fire extinguishe</li> </ul>	r in a recessed flush mounted compartment			
		o Bilge pump				
		o Along the gunwa	ales are tie-downs for securing nets, poles			
		and other equipmen	t.			
		o Roomy walkway	s allow easy access to the full boat length			
		on both sides.				
		_	th powder coating on metal Captain			
		Command Center, l	ive well and generator engine housing			
		provides durability a	nd weather protection*			
			g generator engine housing includes service			
		accessibility hatch*				
		o Includes Air-coo	oled Honda generator 7000 watts, 120/240V,			
			sound emission. The generator runs the			
		APEX electrofisher,	work lights and the built-in battery charging			
		system.				
		Livewell				
		o 63 gallons*				
		o LED back lightir				
		o All aluminum co	enstruction			



Quotation Valid Thru: 06/11/2025

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES **DNR PROPERTY & PROCUREMENT OFFICE** 

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION **324 4TH AVE SOUTH CHARLESTON WV 25303 United States** 

Terms: NET 30 **Attention: JAMES ADKINS** 

Qu	ote Date	Your Request #	FOB	S	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIC	SHT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		o Tank fill pump fl	ow through system (Rapid fill pump 25			
		gallons per minute)*				
		o Custom stand p	ipe for rapid drainage and easy cleaning*			
		o 4 corner aeratio	n spray nozzles			
		o Separation inse	rt to split livewell into two compartments for			
		multiple passes or s	pecies isolation*			
		o 2 Hinged lids that are extra reinforced for long term				
		durability*				
		o Engineered at o	ptimal distance from front work platform for			
		rapid fish removal w	hile electrofishing*			
		Captain Command	Center			
		o Powder coated	console provides durability and weather			
		protection*				
		o Center console	with shatterproof windscreen*			
		o Steering helm				
		o Hydraulic steeri				
		o Steering wheel	spinner knob for rapid electrofishing			
		maneuverability*				
			nted throttle controls / Up-Charge for			
		Left-Side				
		o Power trim				
		o Captains seating	g system*			
		o Electronic Horn				
		o LED Console lig				
			rofisher controls*			
		o Sonar depth/fish	n finding system*			
$\sqcup \sqcup$					ļ	



Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

SOUTH CHARLESTON WV 25303-1228

**United States** 

Attention: JAMES ADKINS Terms: NET 30

Qu	ote Date	Your Request #	FOB	9	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		o Push button ele	ectric generator start			
		<ul> <li>Headlight switc</li> </ul>	h*			
		o Backup light sw	vitch*			
	o Deck light swi		ch*			
		o Livewell Island	Workup light switch*			
		o Navigation light	switch			
		o Bilge pump con	trol (auto and manual)*			
		o Integrated fuel	gauge*			
		o Fuel tank selec	tor switch port & starboard*			
		o 2 spare unassiç	gned 15 Amp DC switches for custom use*			
		o Integrated brea	ker panel*			
		o Electrode outpu	ut configuration panel*			
		o Auxiliary foot pe	edal connector*			
		o Foot pedal conf	figuration switches*			
		o 12-Volt DC acc	essory power plug*			
		o Tank fill control	s*			
		o Recirculation co	ontrols*			
		o Integrated elect	trofishing pedal controls*			
		o Integrated Capt	ain's electrofishing pedal*			
		o 2 marine batter	ies charged by generator for onboard			
		electronics*				
		o Battery Charge	r integrated into the console			
		o Integrated digita	al onboard battery voltmeter*			
		o Heavy-duty can	vas console cover provides weather			
		protection*				
		Front Work Platforn	n			

**ORIGINAL** 

Page #



Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

DNR PROPERTY & PROCUREMENT OFFICE 324 4th AVE SOUTH CHARLESTON WV 25303-1228

WV DEPT. OF NATURAL RESOURCES

**United States** 

Bill To: 003756

Qu	ote Date	Your Request #	FOB	S	hip Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		o 2 integrated elec	ctrofishing kick switches (captain can select			
		independent or simu	ıltaneous use)*			
		o Safety Control F	oot-Switch System allows for control by up			
		to 5 crewmembers,	meeting all State and Federal Safety			
		Electrofishing Codes	S			
		o All weather Dri-	deck mat*			
		o 2 x 12 Volt accessory plugs				
	o UV all-weather line-x coating OSHA approved safety railing					
	o Removeable bow safety railing for diverse work platform					
	capabilities (OSHA approved)					
	o LED lighting					
	Electrodes					
		o Custom pivoting	boom clutches with three wing tension			
		nuts*				
		o 2 Custom anode	e booms with UV all-weather line-x coating *			
		o Chain supports	to provide safe deployment and depth			
		management from w	vork platform			
		o 2 SAA-6 Anode	arrays*			
		o Custom cathode	e dropper array mounted around the outside			
		front and sides of the	e work deck*			
		The APEX electrofis	her is the most versatile electrofisher in the			
		world because it ince	orporates the widest range of electrical			
		inputs and outputs.	This provides utility across the most diverse			
		environmental condi	tions and a broad range of fish sizes and			
		species. Additionall	y, the APEX is the only electrofisher in the			

022550-00 Our Quotation #

Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION **324 4TH AVE SOUTH CHARLESTON WV 25303 United States** 

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES **DNR PROPERTY & PROCUREMENT OFFICE** 

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Terms: NET 30 **Attention: JAMES ADKINS** 

Qu	ote Date	Your Request #	FOB	S	hip Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / R	ev / Description		Quantity Quoted	Unit Price	Extended Price
		world that records el	ectrical inputs and outputs, along with GPS			
		location, date, and ti	me for every second of electrofishing. The			
		integrated USB drive	allows for rapid downloading of			
		electrofishing data for	or unparalleled electrofishing fleet			
		standardization. Ad	ditionally, your APEX will always be up to			
		date as it is the only	electrofisher in the world where the end			
		user can download t	he latest software and firmware onto a flash			
		drive and easily uplo	ad just by plugging it into the unit. These			
		features and qualific	ations provide unparalleled safety,			
		standardization, cos	t reductions, and reporting of electrofishing			
		efforts and research	. Additionally, there is no need to purchase a			
		high current and a lo	w current electrofishing control box when			
		purchasing the APE	<b>X</b> .			
		GPS Software come	es with the APEX electrofisher. Google Earth			
		Pro imports and exp	orts GIS data.			
		All stored data on th	e APEX will load onto the USB flash drive as			
		a .csv file that can b	e opened in a spreadsheet program (i.e.			
		Microsoft Excel).				
		APEX Electrofisher	and Controls Fully Integrated into the			
		Captain Command (	Center			
		APEX Electrofisher	Records the following information for every			
		second of electrofish	ning* Records the following information for			
		every second of elec	ctrofishing*:			
		· Date (Month,	Day, Year)*			
		· Time (Hours,	Minutes, Seconds)*			
		· Resettable Ti	mer (Seconds; up to 99,999 seconds)*			
		· Peak Voltage	(Volts)*			



Quotation Valid Thru: 06/11/2025

Bill To: 003756 Ship To:

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Que	ote Date	Your Request #	FOB	S	Ship Via	Salesperson
04/1	1/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	SHT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		· Peak Current	(Amps)*			
		· Peak Power (	Watts)*			
		· Average Volta	age (Volts)*			
		· Average Curr	ent (Amps)*			
		· Average Pow	er (Watts)*			
		· Primary/Seco	ndary Waveform*			
		· Waveform (A	ternating Current, Direct Current, Pulsed			
		Direct Current, Burs	t of Pulses Direct Current, Modified			
		Alternating Current)	*			
	· Input Voltage (Volts)*					
	· Input Duty Cycle (%)*					
	· Input Frequency (Hz)*					
	· GPS (Latitude, Longitude, Elevation, Accuracy)*		e, Longitude, Elevation, Accuracy)*			
		· Temperature*				
		o 12 programmab	le electrofishing "favorites" settings for			
		saving output wavef	orms: recalls waveform, duty cycle,			
		frequency, and volta	ge			
		o Dual Output Cha	annels			
		o Waterproof con	nections, UV resistant			
		<ul> <li>Positive locating</li> </ul>	keyways only terminate into correct			
		receptacle				
		o Input Power: 8,0	000 Watt continuous for max outputs; 240V			
		50/60hz 30A max ge	enerators (must have floating neutral)			
		o Output Voltage:	0-1,200 VDC; 0-240 VAC rms 339 Vpeak			
		o Output Current:	24 ADC continuous @ 250 VDC			
		o Peak Output Cu	rrent: 80 Amps (0-300 Volts), 40 Amps			
		(300-600 Volts), 20	Amps (600-1,200 Volts)			
		o Output Power: 7	,200 Watts Continuous AC			

Terms: NET 30



Our Quotation # 022550-00

Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

**Attention : JAMES ADKINS** 

Qu	ote Date	You	r Request #	FOB	5	Ship Via		Salesperson
04/	11/2025	ARFQ0	310DNR25.4	VANCOUVER, WA	FREIC	SHT TRUCK		MA
Item	Part / R	ev / Descript	ion		Quantity Quoted	Unit Price	Ex	tended Price
		0	Peak Output Po	wer: 24,000 Watts				
		0	Frequency Rang	ge (pulses per second; pps): 1-1,000 hertz				
		(p <sub>l</sub>	ps) in 1 hertz incre	ements*				
		0	Duty Cycle: 1%	to 100% in 1% increments				
	o Timer: 0-99,999		Timer: 0-99,999	Seconds*				
		0	Alarm: 60-3,600	seconds with alarm at end of count and				
		rei	minder every 60 s	econds thereafter*				
		0	Data Port: USB	2.0 for downloading stored data and				
		up	loading software a	and firmware updates*				
		0	Display: Sunligh	t readable 1,000 nits; Day/Night Mode; 5"				
		80	0x480 color LCD*					
		0	Automatic volta	ge range shifting for three ranges of voltage				
		0	Software protect	tion for internal circuitry and overloading				
		0	Digital warnings	display input and output errors				
		0	Data recall when	n generator is powered down				
		0	Digital metering	of peak and average watts, amps, and volts				
		0	Hermetically sea	aled/splash resistant design				
		0	Cooling via conv	vection through heat sink				
		0	Water resistant	main breaker				
		0	External hardwa	are gasketed and o-ringed for splash				
		res	sistance					
		0	Single 5" color L	CD screen monitors and displays*:				
			Resettable Ti	mer (Seconds; up to 99,999 seconds)				
			Peak Voltage	(Volts) outputs graphed for 3 minutes*				
			Peak Current	(Amps) outputs graphed for 3 minutes*				
			Peak Power (	Watts) outputs graphed for 3 minutes*				
			Average Volta	age (Volts)*				
			Average Curr	ent (Amps)*				



Quotation Valid Thru: 06/11/2025

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Attention: JAMES ADKINS Terms: NET 30

Quo	ote Date	Your Request #	FOB	S	Ship Via	Salesperson
04/1	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	SHT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		· Average Pow	er (Watts)*			
		· Primary/Seco	ndary Waveform*			
		· Waveform an	imation*			
		· Input Voltage	(Volts)			
		· Input Duty Cy	rcle (%)			
	· Input Frequency (Hz)					
	· GPS (Latitude, Longitude)*					
	· Alarm (programmable seconds of effort alert)*					
	· Input from generator					
		· Software Vers	sion			
		o Day and Night M	ode for LCD screen*			
		o System includes	internal rechargeable battery that maintains			
		display when genera	ator is off			
		o Light and tonal a	lert system to indicate that electrofisher is			
		operating				
		o GPS antenna*				
		Safety is a top priori	ty for all electrofishing crews. We know that			
		when providing safe	equipment, we must not hinder your ability			
		to accomplish your	research objectives. Therefore, all safety			
		features are designe	ed and tested to only activate when			
		dangerous opportun	ities arise. No other manufacturer of			
		equipment matches	the number of safety features while also			
		leading the way in fu	unctionality. You get the comfort of			
		successfully comple	ting your research while using the safest			
		equipment available				
	*Smith-Root manufactured boat hulls include a 2-year warranty					

Salesperson



Our Quotation # 022550-00

Quotation Valid Thru: 06/11/2025

Bill To: 003756 Ship To:

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

Quote Date

**SOUTH CHARLESTON WV 25303-1228** 

Your Request #

**United States** 

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Ship Via

Attention: JAMES ADKINS Terms: NET 30

FOB

Qu	lote Date		Your Request #	FOB	7)	onip via	Salesperson
04/	11/2025	A	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part /	Rev / D	escription		Quantity Quoted	Unit Price	Extended Price
			*Smith-Root manufa	actured electrofishers and boat parts include			
			a 1-year warranty				
			*Honda Generator ir	ncludes a 1-year warranty			
			Smith-Root is an au	thorized Honda Dealer, and all OEM			
			equipment warrantie	es are applicable on the Honda generators			
		sold by us.					
			On or off the water t	he crew has technical support for the			
			**See attached boat	manual and sole source letter**			
			PRICE INCLUDES:				
			Freight, shipping, ha	andling and insurance			
			Upgraded Humminb	oird HELIX 8 CHIRP MEGA SI+ GPS G4N			
			depth finders or equ	ivlent			
			High and Low Boom	supports			
003	12057	000	BOAT SR-20EHX ELE COMMERCIAL ELE	CTROFISHER APEX	1.0000 EA	134,815.00	US\$ 134,815.00
			Smith-Root electrofi	shing commercial vessels are the only			
			purpose-built electro	ofishing hulls in the world. They provide the			
			highest degree of sa	afety and utility because of their			
			compensation for we	eight distribution and stability. In contrast to			
			the traditional appro	ach of simply adding an electrofisher box to			
	an existing recreational hull, Smith-Root fully integrates the						
	APEX electrofishing controls into the captain command station.						

Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Qu	ote Date	Your Request #	FOB	S	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	SHT TRUCK	MA
Item	Part / R	ev / Description		Quantity Quoted	Unit Price	Extended Price
		This provides utility	across the most diverse environmental			
		conditions and a bro	ad range of fish sizes and species.			
		Additionally, the API	EX control box is the only electrofisher in the			
		world that records el	ectrical inputs and outputs, along with GPS			
		location, date, and ti	me for every second of electrofishing. The			
		integrated USB drive	allows for rapid downloading of			
		electrofishing data for	or unparalleled electrofishing fleet			
		standardization.				
		The Extra Heavy-Du	ty White-Water V-Hull is designed for			
		stability so that a full	y equipped electrofishing boat will float			
		approximately level	and have less chance of capsizing. It is the			
		perfect hull for samp	ling in open lake conditions where rougher			
		water conditions are	expected. It has 30in sides with additional			
		storage in and unde	the gunwales. Also, along the gunwales			
		are tie-downs for sec	curing nets, poles and other equipment.			
		Roomy walkways all	ow easy access to the full boat length on			
		both sides.				
		* = unique to Smith-	Root electrofishing vessels			
		Engineered, manufa	ctured, and fabricated at Smith-Root			
		headquarters in Van	couver, Washington, USA*			
		Commercial Hull Co	nstruction and Exterior			
		20EHX-Model Extra	Heavy-Duty White-Water V-hull *			
		o 96-inch beam, 3	0-inch sides, 25-inch transom, 20-feet			
		o Additional storaç	ge in and under the gunwales.			
		o Inside and outsi	de all-welded seams			
			chine 6061-T6 aluminum to protect double			
		welded bottom sean				
		o Heavy duty doub	ole "H" channel transom designed and built			
				<u> </u>		



Quotation Valid Thru: 06/11/2025

Bill To: 003756 Ship To:

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Quo	ote Date	Your Request #	FOB	S	Ship Via	Salesperson
04/1	1/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		to resist damage that	at can happen in or out of the water *	-		
		o Support rib syst	em is constructed of high-performance 6061			
		T-6 aluminum cross	rib structural beams, that resists cracking			
		due to stress and is	rust and corrosion resistance.			
		o Pressed-in corre	ugations for structural strength and tracking*			
		o Closed-cell mar	ine grade polyurethane flotation foam is			
		sprayed in along bo	th sides and below the deck line offering			
		upright, level flotation	n that exceeds the standards mandated by			
		the US Coast Guard	*			
		o Spray foam crea	ates a watertight finish that protects the boat			
		from corrosive cond	ensation that happens while on the water.			
		o Full length oper	side gunnels for equipment storage*			
		o T bar welded bo	w eye at the front attachment point with two			
		holes for securing the	ne boat to a winch/trailer			
		o 8" stern cleats v	vith bolt on retractable trailer tie downs			
		Boat Interior				
		o Full integrated (	Captain's Command Center*			
		o Large forward d	ry storage compartments with 2 lockable			
		marine doors				
		o Non-skid alumir	um tread plate floor			
		o All flooring is co	mpletely sealed using one level sturdy			
		diamond plate deck	ng*			
		o Interior has indu	strial powder-coat finish for durability			
		o 50-gallon built-ii	uSCG and EPA Compliant fuel tank for			
		outboard engine*				
		o Exterior fuel fillin	ng for ease at fueling stations*			

Terms: NET 30



Our Quotation # 022550-00

Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Attention : JAMES ADKINS

Qu	ote Date	You	r Request #	FOB	S	Ship Via		Salesperson
04/	11/2025	ARFQ	310DNR25.4	VANCOUVER, WA	FREIG	SHT TRUCK		MA
Item	Part / R	ev / Descript	ion		Quantity Quoted	Unit Price	Ex	tended Price
		0	Unique hull iden	tification number				
		0	Integrated batte	ry storage compartments*				
		0	Research vesse	el hull badges				
		0	LED Navigation	lights				
		0	LED Headlights	*				
	o LED Backup lights*		hts*					
		0	LED Deck lights	*				
		0	LED Livewell lig	hts*				
		0	LED Workup lig	hts*				
		0	Marine fuel filter	-				
		0	Fire extinguishe	r in a recessed flush mounted compartment				
		0	Bilge pump					
		0	Along the gunwa	ales are tie-downs for securing nets, poles				
		an	id other equipmen	t, with additional full length open sides				
		sto	orage in the gunw	ales.				
		0	Roomy walkway	s allow easy access to the full boat length				
		on	both sides.					
		0	Industrial streng	th powder coating on metal Captain				
		Co	ommand Center, li	ive well and generator engine housing				
		pre	ovides durability a	nd weather protection*				
		0	Noise deadenin	g generator engine housing includes service				
		ac	cessibility hatch*					
		0	Includes Air-coc	oled Honda generator 7000 watts, 120/240V,				
		Inv	verter Power, low	sound emission. The generator runs the				
		AF	PEX electrofisher,	work lights and the built-in battery charging				
		sy	stem.					
		Liv	vewell					
igsquare							ļ	

Quotation Valid Thru: 06/11/2025

Bill To: 003756 Ship To:

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Attention: JAMES ADKINS Terms: NET 30

Qι	uote Date	Your Request #	FOB	8	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIC	GHT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
Item	Part / Re	o 74 gallons* o LED back lightir o All aluminum co o Tank fill pump fl gallons per minute)* o Custom stand p o 4 corner aeratio o Separation inse multiple passes or s o 2 Hinged lids the durability*	ow through system (Rapid fill pump 25 ipe for rapid drainage and easy cleaning* in spray nozzles rt to split livewell into two compartments for pecies isolation* at are extra reinforced for long term ptimal distance from front work platform for hile electrofishing*	Quantity Quoted	Unit Price	Extended Price
		protection*  o Center console  o Steering helm  o Hydraulic steeri  o Steering wheel steering wheel steering wheel	spinner knob for rapid electrofishing  nted throttle controls / Up-Charge for			

**ORIGINAL** 

Page # 17



Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

SOUTH CHARLESTON WV 25303-1228

**United States** 

Attention: JAMES ADKINS Terms: NET 30

Qu	ote Date	You	r Request #	FOB	5	Ship Via	Salesperson
04/	11/2025	ARFQ0	310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / Re	ev / Descript	ion		Quantity Quoted	Unit Price	Extended Price
		0	Electronic Horn				
		0	LED Console lig	hting*			
		0	Integrated elect	rofisher controls*			
		0	Sonar depth/fish	n finding system*			
	o Push button el		Push button ele	ctric generator start			
		0	Headlight switch	n*			
		0	Backup light sw	itch*			
		0	Deck light switc	h*			
		0	Livewell Island	Workup light switch*			
		0	Navigation light	switch			
		0	Bilge pump con	trol (auto and manual)*			
		0	Integrated fuel of	gauge*			
		0	Fuel tank select	or switch port & starboard*			
		0	2 spare unassig	ned 15 Amp DC switches for custom use*			
		0	Integrated break	ker panel*			
		0	Electrode outpu	t configuration panel*			
		0	Auxiliary foot pe	dal connector*			
		0	Foot pedal conf	iguration switches*			
		0	12-Volt DC acce	essory power plug*			
		0	Tank fill controls	s*			
		0	Recirculation co	ntrols*			
		0	Integrated elect	rofishing pedal controls*			
		0	Integrated Capt	ain's electrofishing pedal*			
		0	2 marine batteri	es charged by generator for onboard			
		ele	ectronics*				
		0	Battery Charger	integrated into the console			
		0	Integrated digita	l onboard battery voltmeter*			
		0	Heavy-duty can	vas console cover provides weather			

**ORIGINAL** 

Page # 18



Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION **324 4TH AVE SOUTH CHARLESTON WV 25303 United States** 

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES **DNR PROPERTY & PROCUREMENT OFFICE** 324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Terms: NET 30 **Attention: JAMES ADKINS** 

Qu	ote Date	Your Request #	FOB	5	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	SHT TRUCK	MA
Item	Part / R	ev / Description		Quantity Quoted	Unit Price	Extended Price
		protection*				
		Front Work Platform				
		-	ctrofishing kick switches (captain can select			
		independent or simu				
			oot-Switch System allows for control by up			
			meeting all State and Federal Safety			
		Electrofishing Codes				
		o All weather Dri-c				
		o 2 x 12 Volt acce				
			ne-x coating OSHA approved safety railing			
			w safety railing for diverse work platform			
		capabilities (OSHA a	approved)			
		o LED lighting				
		Electrodes				
		o Custom pivoting	boom clutches with three wing tension			
		nuts*				
		o 2 Custom anode	booms with UV all-weather line-x coating *			
		o Chain supports t	o provide safe deployment and depth			
		management from w	ork platform			
		o 2 SAA-6 Anode	arrays*			
		o Custom cathode	dropper array mounted around the outside			
		front and sides of the	e work deck*			
		The APEX electrofis	her is the most versatile electrofisher in the			
				!		



Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Attention: JAMES ADKINS Terms: NET 30

Qu	ote Date	Your Request #	FOB	5	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIC	SHT TRUCK	MA
Item	Part / R	ev / Description		Quantity Quoted	Unit Price	Extended Price
		world because it inco	orporates the widest range of electrical			
		inputs and outputs.	This provides utility across the most diverse			
		environmental condi	tions and a broad range of fish sizes and			
		species. Additionall	y, the APEX is the only electrofisher in the			
		world that records el	ectrical inputs and outputs, along with GPS			
		location, date, and ti	me for every second of electrofishing. The			
		integrated USB drive	allows for rapid downloading of			
		electrofishing data for	or unparalleled electrofishing fleet			
		standardization. Ad	ditionally, your APEX will always be up to			
		date as it is the only	electrofisher in the world where the end			
		user can download t	he latest software and firmware onto a flash	ı		
		drive and easily uplo	ad just by plugging it into the unit. These			
		features and qualific	ations provide unparalleled safety,			
		standardization, cos	t reductions, and reporting of electrofishing			
		efforts and research	Additionally, there is no need to purchase	а		
		high current and a lo	w current electrofishing control box when			
		purchasing the APE	X.			
		GPS Software come	s with the APEX electrofisher. Google Eart	n		
		Pro imports and exp	orts GIS data.			
		All stored data on th	e APEX will load onto the USB flash drive a	s		
		a .csv file that can b	e opened in a spreadsheet program (i.e.			
		Microsoft Excel).				
		APEX Electrofisher	and Controls Fully Integrated into the			
		Captain Command (	Center			
		APEX Electrofisher	Records the following information for every			
		second of electrofish	ning* Records the following information for			
	every second of electrofishing*:					
ļ						

Terms: NET 30

Our Quotation # 022550-00

Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION **324 4TH AVE SOUTH CHARLESTON WV 25303 United States** 

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES **DNR PROPERTY & PROCUREMENT OFFICE** 

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

**Attention: JAMES ADKINS** 

Qu	ote Date	Your Request #	FOB	S	Ship Via	S	alesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK		MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extend	led Price
		· Date (Month,	Day, Year)*				
		· Time (Hours,	Minutes, Seconds)*				
		· Resettable Ti	mer (Seconds; up to 99,999 seconds)*				
		· Peak Voltage	(Volts)*				
		· Peak Current	(Amps)*				
		· Peak Power (	(Watts)*				
		· Average Volta	age (Volts)*				
		· Average Curr	rent (Amps)*				
	· Average Power (Watts)*						
		· Primary/Seco	ondary Waveform*				
		· Waveform (A	Iternating Current, Direct Current, Pulsed				
	Direct Current, Burst of Pulses Direct Current, Modified						
		Alternating Current)	*				
		· Input Voltage	(Volts)*				
		· Input Duty Cy	/cle (%)*				
		· Input Frequer	ncy (Hz)*				
		· GPS (Latitude	e, Longitude, Elevation, Accuracy)*				
		· Temperature	k				
		o 12 programmab	le electrofishing "favorites" settings for				
		saving output wavef	orms: recalls waveform, duty cycle,				
		frequency, and volta	age				
		o Dual Output Ch	annels				
		o Waterproof con	nections, UV resistant				
		o Positive locating	keyways only terminate into correct				
		receptacle					
		o Input Power: 8,0	000 Watt continuous for max outputs; 240V				
		50/60hz 30A max g	enerators (must have floating neutral)				
		o Output Voltage:	0-1,200 VDC; 0-240 VAC rms 339 Vpeak				
						ļ	

Terms: NET 30



Our Quotation # 022550-00

Quotation Valid Thru: 06/11/2025

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Attention : JAMES ADKINS

Qu	ote Date	Your Request #	FOB	S	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / R	ev / Description		Quantity Quoted	Unit Price	Extended Price
		o Output Current:	24 ADC continuous @ 250 VDC			
		o Peak Output Cu	rrent: 80 Amps (0-300 Volts), 40 Amps			
		(300-600 Volts), 20	Amps (600-1,200 Volts)			
		o Output Power: 7	7,200 Watts Continuous AC			
		o Peak Output Po	wer: 24,000 Watts			
		o Frequency Rang	ge (pulses per second; pps): 1-1,000 hertz			
		(pps) in 1 hertz incre	ements*			
		o Duty Cycle: 1%	to 100% in 1% increments			
		o Timer: 0-99,999	Seconds*			
		o Alarm: 60-3,600	seconds with alarm at end of count and			
		reminder every 60 s	econds thereafter*			
		o Data Port: USB	2.0 for downloading stored data and			
		uploading software	and firmware updates*			
		o Display: Sunligh	t readable 1,000 nits; Day/Night Mode; 5"			
		800x480 color LCD*				
		o Automatic volta	ge range shifting for three ranges of voltage			
		o Software protec	tion for internal circuitry and overloading			
		o Digital warnings	display input and output errors			
		o Data recall when	n generator is powered down			
		o Digital metering	of peak and average watts, amps, and volts			
		o Hermetically sea	aled/splash resistant design			
		o Cooling via conv	vection through heat sink			
		o Water resistant	main breaker			
		o External hardwa	re gasketed and o-ringed for splash			
		resistance				
		o Single 5" color L	CD screen monitors and displays*:			
		· Resettable Ti	mer (Seconds; up to 99,999 seconds)			
		· Peak Voltage	(Volts) outputs graphed for 3 minutes*			



Quotation Valid Thru: 06/11/2025

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Attention: JAMES ADKINS Terms: NET 30

Qu	ote Date	Your Request #	FOB	S	hip Via	Salesperson
04/1	1/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / Re	ev / Description		Quantity Quoted	Unit Price	Extended Price
		· Peak Current	(Amps) outputs graphed for 3 minutes*			
		· Peak Power (	Watts) outputs graphed for 3 minutes*			
		· Average Volta	age (Volts)*			
		· Average Curr	ent (Amps)*			
		· Average Pow	er (Watts)*			
		· Primary/Seco	ndary Waveform*			
		· Waveform an	imation*			
		· Input Voltage	(Volts)			
		· Input Duty Cy	rcle (%)			
		· Input Frequer	ncy (Hz)			
		· GPS (Latitude	e, Longitude)*			
	· Alarm (programmable seconds of effort alert)*					
		· Input from ge	nerator			
		· Software Vers	sion			
		o Day and Night M	ode for LCD screen*			
		o System includes	internal rechargeable battery that maintains			
		display when genera	ator is off			
		o Light and tonal a	lert system to indicate that electrofisher is			
		operating				
		o GPS antenna*				
		Safety is a top priori	ty for all electrofishing crews. We know that			
		when providing safe	equipment, we must not hinder your ability			
		to accomplish your	research objectives. Therefore, all safety			
		features are designe	ed and tested to only activate when			
		dangerous opportun	ities arise. No other manufacturer of			
		equipment matches	the number of safety features while also			
		leading the way in fu	unctionality. You get the comfort of			



Quotation Valid Thru: 06/11/2025

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Attention: JAMES ADKINS Terms: NET 30

Qu	ote Date	Your Request #	FOB	S	Ship Via	Salesperson
04/	11/2025	ARFQ0310DNR25.4	VANCOUVER, WA	FREIG	HT TRUCK	MA
Item	Part / R	ev / Description		Quantity Quoted	Unit Price	Extended Price
		successfully comple	ting your research while using the safest			
		equipment available				
		*Smith-Root manufa	ctured boat hulls include a 2-year warranty			
		*Smith-Root manufa	actured electrofishers and boat parts include			
		a 1-year warranty				
		*Honda Generator ir	ncludes a 1-year warranty			
		Smith-Root is an au	thorized Honda Dealer, and all OFM			
	Smith-Root is an authorized Honda Dealer, and all OEM equipment warranties are applicable on the Honda generators					
		sold by us.	o are approuded on the Heritage generaters			
		•				
		On or off the water t	he crew has technical support for the			
		lifetime of the vesse	l.			
		**See attached boat	manual and sole source letter**			
		PRICE INCLUDES:				
			andling and insurance			
			ird HELIX 8 CHIRP MEGA SI+ GPS G4N			
		depth finders or equ				
		Washdown pump/ho				
		One extra backup S				
		High and Low Boom	supports			

Salesperson



Our Quotation # 022550-00

Quotation Valid Thru: 06/11/2025

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

Your Request #

**United States** 

Quote Date

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303

Ship Via

**United States** 

Attention: JAMES ADKINS Terms: NET 30

FOB

<u> </u>	uote Date		Your Request #	FOB	Snip via		Salesperson
04	/11/2025	Α	RFQ0310DNR25.4	VANCOUVER, WA	FREIGHT TRUCK		MA
Item	Part / I	Rev / De	escription		Quantity Quoted	Extended Price	
004	06661	000	ENGINE 90HP OUTBOARD MERCURY MOTOR Twin 90HP Mercury Command Thrust Four Stroke engines, electric start, extra-long shaft (25 inches) includes hydraulic		4.0000 EA	12,585.00	US\$ 50,340.00
			power steering, elec	tric start, power tilt & trim, controls and			
			aluminum prop.				
			One right and one le	eft hand outboard throttle controls are			
				clude a Government 3-year warranty*			
005		000		BOARD MERCURY MOTOR y Command Thrust Four Stroke engines,	2.0000 EA	13,488.00	US\$ 26,976.00
			electric start, extra-l	ong shaft (25 inches) includes hydraulic			
			power steering, elec	tric start, power tilt & trim, controls and			
			aluminum prop.				
			One right and one le	oft hand outboard throttle controls are			
			standard with twin e	ngines			
			*Mercury engines in	clude a Government 3-year warranty*			
006	07904	001		LUM I-BEAM SR16+HX trailer, aluminum I-Beam frame for easy	2.0000 EA	14,324.00	US\$ 28,648.00
			aquatic invasive spe	cies inspections, disc brakes on both axles,			
			7-way connector, he	eavy duty tongue jack with wheel, adjustable			
			winch and strap, He	avy duty fenders, Premium Wheels,			
			waterproof LED low	profile light kit, spare tire & mount.			
			Includes:				
	PIGINAL						



Quotation Valid Thru: 06/11/2025

Bill To: 003756

WV DEPT. OF NATURAL RESOURCES
DNR PROPERTY & PROCUREMENT OFFICE

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Ship To:

WV DEPT. OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States

Attention: JAMES ADKINS Terms: NET 30

Q	uote Date		Your Request #	FOB	Ship Via			Salesperson
04	/11/2025	P	ARFQ0310DNR25.4	VANCOUVER, WA	FREIGHT TRUCK			MA
Item	Part / R	ev / D	escription		Quantity Quoted Unit Price			ctended Price
007	07904-EH	2-inch coupler minimum 36" guide bunks. metal fenders with anti-slip pads. minimum 13" wheels. Trailer tires must be 10-ply.  704-EH 001 TRAILER TANDEM ALUM I-BEAM 18+EHX Tandem axel, bunk trailer, aluminum I-Beam frame for easy aquatic invasive species inspections, disc brakes on both axles, 7-way connector, heavy duty tongue jack with wheel, adjustable winch and strap, Heavy duty fenders, Premium Wheels, waterproof LED low profile light kit, spare tire & mount.		1.0000 EA	15,899.00		US\$ 15,899.00	
008	10334 SAFETY	000 NS	waterproof LED low profile light kit, spare tire & mount.  Includes: 2-inch coupler minimum 36" guide bunks. metal fenders with anti-slip pads. minimum 13" wheels. Trailer tires must be 10-ply.  BAR STEERING TIE DUAL OUTBOARD		3.0000 EA 1.0000 EA	1,440.00 0.00		US\$ 4,320.00 US\$ 0.00

**ORIGINAL** 

Page # 26



Bill To: 003756

WV DEPT. OF NATURAL RESOURCES **DNR PROPERTY & PROCUREMENT OFFICE** 

324 4th AVE

**SOUTH CHARLESTON WV 25303-1228** 

**United States** 

Ship To:

WV DEPT. OF NATURAL RESOURCES **WILDLIFE RESOURCES SECTION 324 4TH AVE SOUTH CHARLESTON WV 25303 United States** 

**Attention: JAMES ADKINS** 

Qı	uote Date	Your Request #	FOB	Ship Via			Salesperson
04	11/2025		VAANICOOUIXEER, WAA	FREIGHT TRUCK			MA
Item	Part / R	ev / Description		Quantity Quoted Unit Price			tended Price
item .	PRICE IS I Thanks aga This Quote accordance and Refund https://www Mike Arms Sales Asso Smith-Rooi 16603 NE	FIXED AND FIRM.  ain for your interest in our content of and subsequent purchase is the with the terms included here are policies and Limitations, four v.smith-root.com/about/legal/r.  trong Jr.  pociate t, Inc. Solutions for Aquatic Composite of the content of	nerchandise-return-and-refund-policy/	Quantity Quoted	Freight Tax Quote Total	US	\$ 533,547.00 US\$ 0.00 \$ 533,547.00



April 14, 2025

RE: 16HX Apex Electrofishing Boat Sole Source Information

The Smith-Root SR-16HX APEX Electrofishing Boat is not available from any other source. All Smith-Root Fabricated boats are sold factory direct from our location in Vancouver, Washington. Our turnkey ready boats are the only fully integrated electrofishing boats on the market with the boat built around the electrofisher and integrated into a captain command station. This provides safety and stability that cannot be offered in vessels where an electrofisher is simply added to a repurposed recreational boat hull.

Smith-Root designs and manufactures electronic research equipment used for fisheries research. The Smith-Root SR-16HX APEX Electrofishing Boat is manufactured from proprietary designs and specifications that have evolved from over 60 years of manufacturing experience. Smith-Root's boat hulls are the only hulls manufactured specifically for electrofishing boats, and therefore provide the highest degree of safety and utility because of their compensation for weight distribution and stability. Additionally, the dual axel trailer bunks for the SR16HX Apex Electrofishing Boat are specifically designed in conjunction with the boat hull to maintain structural integrity and proper towing. Finally, the outboard motors are integrated at our fabrication shop to ensure proper fit and alignment for longevity of the transom and hull integrity.

The SR-16HX is a heavy-duty electrofishing workboat hull designed to provide safe and stable working conditions. This vessel provides the fisheries researcher with the utmost in electrofishing efficiency, safety, and equipment reliability. No other electrofishing vessel offers 0.125-inch-thick sides and bottom marine grade 5052 aluminum and forced extrusion chine material to protect double welds along angled seams. Smith-Root's proprietary herring bone support/rib system creates unparalleled hull flexibility for long term vessel safety and stability. Closed-cell marine grade polyurethane flotation foam is sprayed in along both sides and below the deck line offering upright, level flotation that exceeds the standards mandated by the US Coast Guard. Spray foam creates a watertight finish that protects the boat from corrosive condensation that happens while on the water. Spray foam also seals hollow hull areas from Aquatic Invasive Species; other manufacturers deliberately choose to leave vast inner hull and deck cavities empty. Hollow hull and deck areas create more noise and less structural support.

The Smith-Root APEX electrofishing system is not available from any other source in the United States or at a reduced price. As the majority of our sales are to government agencies, we are required to sell to everyone at the same price.

No other company manufactures a boat electrofisher with the capabilities of the APEX Boat electrofisher. This equipment allows for hundreds of thousands of different electrical output combinations. The Programmable Output Waveform concept is patented by Smith-Root and not available from any other source, providing access to the most effective and safe output waveforms available. Additionally, the APEX is readily available to receive any future software improvements through email, therefore providing the simplest and lowest cost access to any newly developed waveforms and capabilities in the future.

The APEX is the only electrofisher with built in scientific data monitoring and recording that allows the biologist to download the recorded data via flash drive for analyzing and mapping. This is not offered on any other electrofishing equipment in the world. The APEX Boat electrofisher records more than 24 hours of GPS,

electrical input, electrical outputs, warning codes, and performance information for every second of electrofishing. Additionally, it is the only boat electrofisher to have a built in USB port to download all electrofishing data while also allowing the upload of new software.

The ability to record and download is important when reviewing data to help standardize electrofishing methodologies for your specific sampling events. Within the AFS standards methods book (2009), Miranda identifies major factors that must be controlled when standardizing for electrofishing assessments. These factors include characteristics of the waveform (square DC, AC, rectified DC, etc.) and power transferred to the fish (Peak Power). The APEX unit is the only electrofisher to allow for second-by-second monitoring of these factors over the period of sampling and therefore allows for superior scientific data and standardization.

The APEX is also the only electrofisher to provide on-screen active waveform visualization, graphs of output performance, GPS coordinates, and alarm mode to inform users about their defined effort limits. Further, the APEX is the only electrofisher with onboard tutorials and help screens describing voltage, duty cycle, and frequency outputs to educate users while in the field about appropriate electrofishing settings. These characteristics help achieve improved personnel safety, fish health safety, and meeting of scientific objectives.

Not only is the APEX Boat Electrofishing System the most advanced electrofisher in the world, but it also singularly provides the electrical output capabilities that would require the purchase of two of the other manufacturers' Electrofishers. Therefore, the APEX saves you money while also expanding your research capabilities. The APEX is the only electrofisher engineered to provide 80 amps of peak output amperage when using lower voltage ranges, while also maintaining the ability to go up to 1,200 volts. No other electrofisher allows this range of output capabilities. Electrofishers from alternative manufacturers are significantly limited in their capabilities when compared to the APEX because of components that limit the output to only 40 amps at lower voltages, or by limiting voltage to 600 volts on equipment that goes to 80 amps. Therefore, without an APEX you are required to purchase and carry around multiple electrofishing control boxes when switching between waterbodies of varying conductivities. Alternatively, the APEX is designed to successfully operate across the widest range of water conductivities with one electrofisher. Smith-Root Advantage: you capture fish successfully across the widest range of water conductivities with only one electrofishing control box, therefore saving you money and expanding your research capabilities.

Smith-Root has engineering, scientific fabrication, and technical staff available by telephone during business hours to assist with any questions during the use of the electrofishing equipment. We are also the only electrofishing vessel manufacturer who offers electrofishing safety and certification courses to help educate practitioners and provide information about maintaining the reliability and integrity of electrofishing vessels.

Thank you for your interest in our equipment. If you have any questions or if you need additional information, Please contact Smith-Root, Inc.

Sincerely,

Mike Armstrong Jr. marmstrong@smith-root.com 360-573-0202 X 2112



April 14, 2025

# RE: 20EHX Apex Extra Heavy-Duty Modest- V Bow Hull Commercial Electrofishing Boat Sole Source Information

The Smith-Root SR-20EHX APEX Extra Heavy Electrofishing Boat is not available from any other source. All Smith-Root fabricated boats are sold factory direct from our location in Vancouver, Washington USA. Our turnkey ready Boats are the only fully integrated electrofishing boats on the market with the boat built around the electrofisher and integrated into a captain command station. This provides safety and stability that cannot be offered in vessels where an electrofisher is simply added to a repurposed recreational boat hull.

Smith-Root designs and manufactures electronic research equipment used for fisheries research. The Smith-Root SR-20EHX APEX Extra Heavy Electrofishing Boat is manufactured from proprietary designs and specifications that have evolved from over 60 years of manufacturing experience. Smith-Root's boat hulls are the only hulls manufactured specifically for electrofishing boats, and therefore provide the highest degree of safety and utility because of their compensation for weight distribution and stability. Additionally, the dual axel trailer bunks for the SR-20EHX Apex Electrofishing Boat are specifically designed in conjunction with the boat hull to maintain structural integrity and proper towing. Finally, the outboard motors are integrated at our fabrication shop to ensure proper fit and alignment for longevity of the transom and hull integrity.

The SR-20EHX is an extra heavy-duty electrofishing workboat with a modest 20° V-Hull for superior handling abilities at high speeds. The bow is a modified "V" design giving good lift and wave splitting action in rough water. This feature also provides safe and stable working conditions in white water. This boat provides the fisheries researcher with the utmost in electrofishing efficiency, safety, and equipment reliability. No other electrofishing vessel offers 0.187 inch bottom thickness and 0.125 inch side thickness marine grade 5052 aluminum and forced extrusion chine material to protect double welds along angled seams.

The Smith-Root APEX electrofishing system is the most versatile electrofisher available on the market. The high input power paired with the flexible output capabilities provide for electrofishing in the widest range of environmental conditions. The APEX is the only electrofisher to store date, time, GPS location, elevation, electrical inputs, electrical outputs, internal temperature, warning codes, and performance information for every second of electrofishing. Additionally, it is the only electrofisher to have a built in USB port to download all electrofishing data while also allowing the upload of new software and firmware. Further, it is the only electrofisher with on-screen active waveform visualization, graphs of output performance, GPS coordinates, and alarm mode to inform about user-defined effort limits. The APEX is the only electrofisher with onboard tutorials describing waveform, voltage, duty cycle, and frequency outputs to educate users while in the field about appropriate electrofishing settings.

Smith-Root has engineering, scientific fabrication, and technical staff available by telephone during business hours to assist with any questions during the use of the electrofishing equipment. We are also the only electrofishing vessel manufacturer who offers electrofishing safety and certification courses to help educate practitioners and provide information about maintaining the reliability and integrity of electrofishing vessels.

Thank you for your interest in our equipment. If you have any questions or if you need additional information, please contact Smith-Root, Inc.

Regards, Mike Armstrong Jr. marmstrong@smith-root.com 360-573-0202/2112



#### LIMITED WARRANTY - BOAT PARTS AND BOAT HULLS

SMITH-ROOT, INC. (SRI) provides this limited warranty for SRI manufactured boat parts and SRI manufactured boat hulls to the Purchaser, not including electrofishing products which are subject to SRI's standard limited product warranty. This warranty is not assignable or transferrable to any party.

Solely for the benefit of the original Purchaser, SRI warrants all new SRI manufactured boat parts and SRI manufactured boat hulls of its manufacture to be free from defects in material, workmanship and wiring and will replace or repair, at its factories in Vancouver, WA, or at another location designated by SRI:

1) any SRI manufactured boat parts including material defects, returned at the Purchaser's expense, within one (1) year from the date of the purchase by the original Purchaser, if following SRI's examination, the SRI manufactured boat part(s) have failed under normal use, service and non-corrosive application/storage by Purchaser.

2) any SRI manufactured boat hulls including defects in workmanship and wiring, returned at the Purchaser's expense, within two (2) years from the date of the purchase by the original Purchaser, if following SRI's examination, the SRI manufactured boat hull has failed under normal use, service and non-corrosive application/storage by the Purchaser.

SRI's obligation under this warranty is conditioned upon SRI receiving proper written notice of claimed defects and following consultation with SRI prior to shipment by the Purchaser, which shall in no event be later than the one (1) year warranty period for material defects, or the two (2) year warranty period for workmanship or wiring defects and is limited to repair or replacement at SRI's sole discretion.

Repair or replacement of SRI manufactured boat parts or SRI manufactured boat hulls covered by this warranty shall be free of extra charges for all items and shall be return shipped pre-paid by SRI. Any repairs or replacement parts provided are subject to the warranty period and terms and conditions as stated herein.

SRI makes no warranty with respect to parts, accessories, or components manufactured by others. Any warranty which applies to parts, accessories, or components manufactured by others is the warranty offered by the respective manufacturer only.

This warranty does not apply to SRI manufactured boat parts and SRI manufactured boat hulls which have been altered or repaired outside of an SRI factory (unless authorized by SRI), or damaged by improper installation, application, storage, or subjected to misuse, abuse, neglect, or accident. This warranty also does not apply to SRI manufactured boat parts and SRI manufactured boat part hulls which have been transported using trailers other than those specified and/or provided by SRI. USE OF A TRAILER WITH ROLLERS INVALIDATES THIS WARRANTY, EVEN IF REQUESTED BY THE PURCHASER AND SUPPLIED BY SRI.

SRI shall not be responsible for any in-transit damage to SRI manufactured boat parts or SRI manufactured boat hulls unless inspection clearly reveals defective packaging where SRI was responsible for packaging. SRI will assist any Purchaser or consignee of SRI manufactured boat parts or SRI manufactured boat hulls, seeking recovery from a carrier for in-transit damage to SRI manufactured boats parts or SRI manufactured boat hulls shipped by SRI, and will, to the extent necessary, assign claims to said Purchaser or consignee wherever required in order to provide said Purchaser or consignee with complete recourse against said

This warranty is expressly made by SRI and accepted by Purchaser in lieu of all other warranties, including WARRANTIES OF MERCHANTABILITY and FITNESS FOR A PARTICULAR PURPOSE, whether written or oral, express, implied, or statutory. SRI neither assumes nor authorizes any other person to assume for it any other liabilities with respect to SRI manufactured boat parts or SRI manufactured boat hulls. SRI shall not be liable for normal wear and tear nor for any contingent, incidental or consequential damage(s) or expense(s) due to partial or complete inoperability of SRI manufactured boat parts or SRI manufactured boat hulls for any reason whatsoever.

Purchaser consents that any dispute between SRI and Purchaser pursuant to this warranty will be governed by the laws of the State of Washington, without regard to its conflict of laws principles. Purchaser consents to the exclusive jurisdiction of and venue in the state and federal courts located in the State of Washington, Clark County.

Any dispute or claim that arises out of or that relates to this warranty, or to the interpretation or breach thereof, or to the existence, scope, or validity of this agreement or the arbitration agreement, shall be resolved by arbitration in accordance with the then effective arbitration rules of (and by filing a claim with) Arbitration Service of Portland, Inc., and judgment upon the award rendered pursuant to such arbitration may be entered in any court having jurisdiction thereof.

Upon buying SRI manufactured boat parts or SRI manufactured boat hulls, Purchaser expressly agrees to the foregoing warranty, including limitation of remedies, and expressly waives any and all other warranties or undertakings with respect to SRI manufactured boat parts or SRI manufactured boat hulls.

16603 NE 50th Ave Vancouver WA 98686 USA Phone: (360) 573-0202 Fax: (360) 573-2064



## LIMITED PRODUCT WARRANTY

Smith-Root provides this limited warranty to the Purchaser of this electrofishing product. This warranty is not assignable or transferable to any party.

Smith-Root, Inc. warrants that this Product is free from defects in material and workmanship that would result in Product failure during normal usage, according to the following terms and conditions:

The Product must be purchased from Smith-Root, Inc. or an authorized distributor.

For general Product sales, the limited warranty for the Product extends for the length of ownership beginning on the date of the purchase of the Product by the original Purchaser for a period of 1 year with the exception of the LR-24 Electrofisher which includes a 3 year limited warranty on the Electrofisher only. (does not include poles, electrodes, rattails, chargers and batteries)

For Electroanesthesia and Barrier Product sales, the limited warranty for the Product extends for the length of ownership beginning on the date of Product commissioning or ninety (90) days from the date of the purchase of the Product by the original Purchaser, whichever occurs first, for a period of 1 year.

The Purchaser of the Product assumes responsibility for the care and maintenance of the Product beginning on the date the Purchaser takes possession of the Product.

During the limited warranty period, Smith-Root, Inc. will repair, or replace, any defective parts, or any parts with new or refurbished replacement items if such repair or replacement is needed because of product malfunction or failure during normal usage. This warranty does not cover damage due to normal wear and tear. This warranty does not cover damage to the Product due to abnormal use, abnormal conditions, improper storage, exposure to moisture or dampness, and immersing the Product in a lake or a stream This warranty does not cover unauthorized modifications, unauthorized connections, unauthorized repair, misuse, neglect, abuse, accident, alteration, improper installation, or battery leakage, theft, blown fuse, or improper use of any electrical source, or damage caused by the connection to other products. This warranty does not cover damage caused by shipping by the Purchaser. This warranty does not cover damaged from external causes such as collision with an object, or from fire, flooding, sand, dirt, windstorm, lightning, earthquake or damage from exposure to weather conditions, or an Act of God.

This limited warranty does not cover consumable items that are sold with or are part of the Product. Consumable items include, but are not limited to: batteries, suspension systems, rat tails, battery chargers, electrode poles, electrode rings, footswitch, dip nets, carry cases, accessory items, and/or suspension systems.

All claims under this warranty must be made in writing to Smith-Root, Inc. within 30 days of the alleged defect or malfunction of the Product. All claims must be made by first contacting the Customer Service Department at Smith-Root, Inc. and following the written instructions provided by a Smith-Root, Inc.'s representative.

The Purchaser shall bear the cost of shipping the Product to Smith-Root, Inc. Smith-Root, Inc. shall bear the cost of shipping the Product back to the Purchaser provided that the damage was covered under this limited warranty. The Purchaser is responsible for any and all parts or labor charges not covered by this limited warranty. Product is not covered under the terms and conditions of this limited warranty, the Purchaser will be notified and given an estimate of the charges the Purchaser must pay to have the Product repaired, with all shipping charges billed to the Purchaser. If the estimate is refused, the Product will be returned freight collect.

Smith-Root, Inc. at its sole option, in lieu of repair, may provide a replacement Product or refund the purchase price of the Product.

00118.005



Smith-Root, Inc. at its sole option and in the course of a warranty repair, may install reconditioned components that are in compliant with product performance and reliability specifications.

ANY IMPLIED WARRANTY OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE OR USE, SHALL BE LIMITED TO THE DURATION OF THE FOREGOING WRITTEN WARRANTY. OTHERWISE, THE FOREGOING LIMITED WARRANTY IS THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. SMITH-ROOT, INC. SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING BUT NOT LIMITED TO LOSS OF ANTICIPATED BENEFITS OR PROFITS, LOSS OF SAVINGS OR REVENUE, PUNITIVE DAMAGES, LOSS OF USE OF THE PRODUCT OR ANY ASSOCIATED EQUIPMENT, COST OF CAPITAL, COST OF ANY SUBSTITUTE EQUIPMENT OR FACILITIES, DOWNTIME, THE CLAIMS OF ANY THIRD PARTIES, INCLUDING CUSTOMERS and INJURY TO PROPERTY, RESULTING FROM THE PURCHASE OR USE OF THE PRODUCT OR ARISING FROM BREACH OF THE WARRANTY, BREACH OF CONTRACT, NEGLIGENCE, STRICT TORT, OR ANY OTHER LEGAL OR EQUITABLE THEORY, EVEN IF SMITH-ROOT, INC. KNEW OF THE LIKELIHOOD OF SUCH DAMAGES. SMITH-ROOT, INC. SHALL NOT BE LIABLE FOR DELAY IN RENDERING SERVICE UNDER THE LIMITED WARRANTY, OR LOSS OF USE DURING THE PERIOD THAT THE PRODUCT IS BEING REPAIRED.

PURCHASER ACKNOWLEDGES THAT THE PRODUCT GENERATES HIGH VOLTAGES AND/OR CURRENTS FOR USE IN WATER. PURCHASER FURTHER RECOGNIZES THAT THE PRODUCT SHOULD ONLY BE USED BY A PERSON SKILLED IN THE USE OF ELECTRO-FISHING EQUIPMENT. SMITH-ROOT ACCEPTS NO RESPONSIBILITY FOR THE TRAINING OF THE PURCHASER OR THE PURCHASER'S AGENT, EMPLOYEE'S AND/OR CONTRACTORS IN THE USE OF THIS PRODUCT.

Smith-Root, Inc. neither assumes nor authorizes any authorized service center or any other person or entity to assume for it any other obligation or liability beyond that which is expressly provided for in this limited warranty including the provider or seller of any extended warranty or service agreement.

This is the entire warranty between the Smith-Root, Inc. and the Purchaser and supersedes all prior and contemporaneous agreements or understandings, oral or written, relating to the Product and no representation, promise or condition not contained herein shall modify these terms.

Purchaser consents that any dispute between Smith-Root, Inc and Purchaser pursuant to the purchase of the Product will be governed by the laws of the State of Washington, without regard to its conflict of laws principles. Purchaser consents to the exclusive jurisdiction of and venue in the state and federal courts located in the State of Washington, Clark County.

Any dispute or claim that arises out of or that relates to this warranty, or to the interpretation or breach thereof, or to the existence, scope, or validity of this agreement or the arbitration agreement, shall be resolved by arbitration in accordance with the then effective arbitration rules of (and by filing a claim with) Arbitration Service of Portland, Inc., and judgment upon the award rendered pursuant to such arbitration may be entered in any court having jurisdiction thereof.

The above limited warranty is effective July 6, 2015.



# State of West Virginia Agency Request for Quote Equipment

Proc Folder:	1562536		Reason for Modification:	
Doc Description	: WRS:(3) Electrofishing Box	Addendum		
Proc Type:	Agency Purchase Order		Addendum No. 01 is issued to publish and distribute the attached information to the Vendor Community.	
Date Issued	Solicitation Closes	Solicitation No	Version	
2025-04-15	2025-04-22 13:30	ARFQ 0310 DNR2500000004	2	

### **BID RECEIVING LOCATION**

**BID RESPONSE** 

DIVISION OF NATURAL RESOURCES

PROPERTY & PROCUREMENT OFFICE

324 4TH AVE

SOUTH CHARLESTON WV 25303-1228

US

#### **VENDOR**

**Vendor Customer Code:** 

Vendor Name: Smith-Root.Inc

Address: 16603 NE 50th Ave

Street:

City: Vancouver

State: WA Country: USA Zip: 98686

Principal Contact : Mike Armstrong Jr.

Vendor Contact Phone: 360-573-0202 Extension: 2112

## FOR INFORMATION CONTACT THE BUYER

James H Adkins (304) 558-3397

jamie.h.adkins@wv.gov

Signature X Mike Armstrong

FEIN# 91-0843323

**DATE** 4/15/25

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Apr 15, 2025
 Page 1
 FORM ID: WV-PRC-ARFQ-002 2020/05

### **ADDITIONAL INFORMATION**

The West Virginia Division of Natural Resources - Wildlife Resources Section is soliciting bids to establish a contract for the one-time purchase of three (3) complete Electrofishing Boat Mounted Systems (electrofishing box, generator, boat, outboard motor, and trailer). One each being delivered to the following District Offices in WV: D3 in French Creek, D4 in Beckley, and D6 located in Parkersburg, WV.

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES		VARIOUS AGENCY LOCATIONS	
WILDLIFE RESOURCES SECTION		AS INDICATED BY ORDER	
324 4TH AVE			
SOUTH CHARLESTON	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	<b>Total Price</b>
1	Electrofishing Box, New and Unused	3.00000	EA	\$16053.00 e	a /\$48,159.00

Comm Code	Manufacturer	Specification	Model #
21110000	Smith-Root Inc		Portable Apex Control Box

### **Extended Description:**

Per specifications outlined in 3.1

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES		VARIOUS AGENCY LOCATIONS	
WILDLIFE RESOURCES SECTION 324 4TH AVE		AS INDICATED BY ORDER	
SOUTH CHARLESTON US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Generator, New and Unused	3.00000	EA	N/A: Included in	cost of boat

Comm Code	Manufacturer	Specification	Model #
26111600	Honda		EU7000iS Inverter

### **Extended Description:**

Per specifications outlined in 3.2

 Date Printed:
 Apr 15, 2025

 Page 2
 FORM ID: WV-PRC-ARFQ-002 2020/05

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES		VARIOUS AGENCY LOCATIONS	
WILDLIFE RESOURCES SECTION		AS INDICATED BY ORDER	
324 4TH AVE			
SOUTH CHARLESTON	WV	No City	WV

US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Electrofishing Boat, 2025 or Current Year Model, New	2.00000	EA	\$138,805.00 ea/	\$277,610.00

Comm Code	Manufacturer	Specification	Model #
25111502	Smith-Root Inc	SR-	16HX Commercial Electrofishing Vesse

### **Extended Description:**

US

Per specifications outlined in 3.3

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES		VARIOUS AGENCY LOCATIONS	
WILDLIFE RESOURCES SECTION		AS INDICATED BY ORDER	
324 4TH AVE			
SOUTH CHARLESTON	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Large Electrofishing River Boat, 2025 or Current Year, New	1.00000	EA	\$163,231.00 e	a /\$163,231.00

Comm Code	Manufacturer	Specification	Model #
26111600	Smith-Root Inc	SR-20EHX (	Commercial Electrofishing Vessel

### **Extended Description:**

Per specifications outlined in 3.4

INVOICE TO

DIVISION OF NATURAL
RESOURCES
VARIOUS AGENCY
LOCATIONS
WILDLIFE RESOURCES
AS INDICATED BY ORDER
SECTION

SECTION 324 4TH AVE

SOUTH CHARLESTON WV No City WV

US US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Boat Trailer, 2025 or Current Year Model, New & Unused	3.00000		\$14,324.00 ea x2 \$15,899.00 ea x1	\$44,547.00

Comm Code	Manufacturer	Specification	Model #	
25181713	Venture Trailers		Commander 3700 x2 Commander 6000 x1	

### **Extended Description:**

Per specifications outlined in 3.5

### **SCHEDULE OF EVENTS**

<u>Line</u>	<u>Event</u>	Event Date
1	Technical Questions Due at 9:00 a.m. ET	2025-04-10

 Date Printed:
 Apr 15, 2025
 Page 4
 FORM ID: WV-PRC-ARFQ-002 2020/05

	Document Phase	Document Description	Page 5
DNR2500000004	Final	WRS:(3) Electrofishing Box, Generator, Boat w/Motor, Trailer	

### ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

### SOLICITATION NUMBER: ARFQ DNR2500000004 Addendum Number: No.01

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

### **Applicable Addendum Category:**

[ 🗸	]	Modify bid opening date and time
[		Modify specifications of product or service being sought
[ 🗸		Attachment of vendor questions and responses
[		Attachment of pre-bid sign-in sheet
[		Correction of error
[	l	Other

### **Description of Modification to Solicitation:**

Addendum issued to publish and distribute the attached documentation to the vendor community.

- 1. To extend bid opening date to 04/22/2025 at 1:30PM ET.
- 1. To publish vendor questions and responses.

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

### **Terms and Conditions:**

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# **Attachment A**

### ARFQ DNR25\*04 - Addendum No. 01 •

### **Technical Questions**

### West Virginia Division of Natural Resources

### WRS:(3) Electrofishing Box, Generator, Boat w/Motor, Trailer

Q1: Please confirm the following bolded specifications are correct:

- 3.3.3.2 Minimum twin 60-HP 4-stroke outboard motors
- 3.4.3.2 Minimum twin 90-HP outboard motors.
- 3.4.3.2.2 Dual engine tie kit.
- A1: Yes. All are correct.

# ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: ARFQ DNR25\*04

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum N	Numbers Received:			
	ox next to each addendum	n received	d)	
[ 🗸 ]	Addendum No. 1	[	]	Addendum No. 6
[ ]	Addendum No. 2	[	]	Addendum No. 7
[ ]	Addendum No. 3	]	]	Addendum No. 8
[ ]	Addendum No. 4	]	]	Addendum No. 9
[ ]	Addendum No. 5	[	]	Addendum No. 10
further unders discussion he	stand that any verbal repr ld between Vendor's rep	esentatio resentativ	n m	ddenda may be cause for rejection of this bid. I hade or assumed to be made during any oral and any state personnel is not binding. Only the diffications by an official addendum is binding.  Smith-Root. Inc
				Company
				Mike Armstrong Or
				Authorized Signature
				4/15/25
				Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.

- 25. SUBSEQUENT FORMS: The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.
- **26. ASSIGNMENT:** Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Property and Procurement Office, the Attorney General's office (as to form only), and any other government agency or office that may be required to approve such assignments.
- 27. WARRANTY: The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship. In accordance with our standard 1 year warranty
- **28. STATE EMPLOYEES:** State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.
- **29. BANKRUPTCY:** In the event the Vendor files for bankruptcy protection, the State of West Virginia may deem this Contract null and void and terminate this Contract without notice.
- **30. PRIVACY, SECURITY, AND CONFIDENTIALITY:** The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/default.html.
- **31. YOUR SUBMISSION IS A PUBLIC DOCUMENT:** Vendor's entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of W. Va. Code §§ 5A-3-1 et seq., 5-22-1 et seq., and 5G-1-1 et seq. and the Freedom of Information Act W. Va. Code §§ 29B-1-1 et seq.

# DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.

Submission of any bid, proposal, or other document to the Property and Procurement Office constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. The Property and Procurement Office will disclose any document labeled "confidential," "proprietary," "trade secret," "private," or labeled with any other claim against public disclosure of the documents, to include any "trade secrets" as defined by W. Va. Code § 47-22-1 et seq. All submissions are subject to public disclosure without notice.

**DESIGNATED CONTACT:** Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Smith-Root. Inc	
(Name, Title)	
Mike Armstrong Jr. Sales Associate	
(Printed Name and Title)	
16603 NE 50th Ave. Vancouver WA 98686	
(Address)	
360-573-0202x2112	
(Phone Number) / (Fax Number)	
marmstrong@smith-root.com	
(email address)	
CERTIFICATION AND SIGNATURE: By signing below, or subnithrough wvOASIS, I certify that I have reviewed this Solicitation in its entithe requirements, terms and conditions, and other information contained offer or proposal constitutes an offer to the State that cannot be unilateral product or service proposed meets the mandatory requirements contained that product or service, unless otherwise stated herein; that the Vendor conditions contained in the Solicitation, unless otherwise stated herein; that bid, offer or proposal for review and consideration; that I am authorized by and submit this bid, offer, or proposal, or any documents related thereto on am authorized to bind the vendor in a contractual relationship; and the knowledge, the vendor has properly registered with any State agent registration.	herein; that I understand herein; that this bid, ly withdrawn; that the in the Solicitation for accepts the terms and at I am submitting this the vendor to execute vendor's behalf; that I at to the best of my
(Company)	
(Authorized Signature) (Representative Name, Title)	
(Printed Name and Title of Authorized Representative)	
(Date)	
(Phone Number) (Fax Number)	

# **EXHIBIT A – PRICING PAGE**

West Virginia Division of Natural Resources – Wildlife Resources Section

# Electrofishing Box, Generator, Boat and Trailer for D1, D4 D6

Item #	Item # Item Description	Unit	Unit Price	Qty	Extended Price
3.1	Electrofishing Box, New and Unused	Each	Each \$16,053.00	т	B46,159.00
3.2	Generator, New and Unused	Each	Each ~/4	т	Included in cust of Bonts
3.3	<b>Electrofishing Boat,</b> 2025 or Current Year Model New and Unused - Must be compatible with 3.1, 3.2 & 3.5	Each	Each \$ 138,805.	2	\$377, 610.00
3.4	Large Electrofishing River Boat, 2025 or Current Year Model New and Unused - Must be compatible with 3.1, 3.2 & 3.5	Each	Each 19163,231.00	1	\$ 163,231.00
3.5	<b>Boat Trailer,</b> 2025 or Current Year Model New and Unused - Must be compatible with 3.3 & 3.4	Each	\$ 14,334 so x 2	т	1 44, 547.00
		1		Ĭ	

\* Quantity for bid evaluation purposes only. Note: All items are to be F.O.B. destination. Freight or delivery charges must be included in the unit price.

Total Cost: 4533, 547.00

Sales Associate (300) 573-6202 4116/25 Armstrong of Smith- Root M: X Acm S
Print Vendor Representative Name

## STATE OF WEST VIRGINIA Purchasing Division

### **PURCHASING AFFIDAVIT**

**CONSTRUCTION CONTRACTS:** Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

**ALL CONTRACTS:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

### WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Smith-Root, Inc.	
Authorized Signature: CL DMC Curtis J. Kirkham, Treasurer Da	ate: April 16, 2025
State of Washington	
County of Clark to-wit:	
Taken, subscribed, and sworn to before me this 16th day of April	, 2025
My Communication January 10th, 2028	
AFFIX SEAL HEND	whamp Ste
PUBLIC PUBLIC	Purchasing Affidavit (Revised 01/19/2018)