

Header 3

General InformationContactDefault ValuesDiscountDocument InformationClarification Request

Procurement Folder: 1994053	SO Doc Code: ARFQ
Procurement Type: Agency Purchase Order	SO Dept: 0310
Vendor ID: 000000121592	SO Doc ID: DNR2600000016
Legal Name: GVM INC	Published Date: 7/1/26
Alias/DBA:	Close Date: 7/16/26
Total Bid: \$29,880.00	Close Time: 13:30
Response Date: 07/01/2026	Status: Closed
Response Time: 14:12	Solicitation Description: Wildlife: Agricultural 4-Ton Wet Lime Spinner Spreader
Responded By User ID: gvmsnow15	Total of Header Attachments: 3
First Name: Joe	Total of All Attachments: 3
Last Name: Anderson	
Email: jwa@gvminc.com	
Phone: 7172531228	

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Joe A Vice President of Sales
(Name, Title)
Joe Anderson Vice President of Sales
(Printed Name and Title)
374 Heidlersburg Rd Biglerville, PA 17307
(Address)
~~717~~ 717-253-1228
(Phone Number) / (Fax Number)
JWA@Guminc.com
(Email Address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Gum Inc
(Company)
Joe A Vice President of Sales
(Authorized Signature) (Representative Name, Title)
Joe Anderson Vice President of Sales
(Printed Name and Title of Authorized Representative)
7/01/2020
(Date)
717-253-1228
(Phone Number) (Fax Number)

EXHIBIT A – PRICING PAGE

West Virginia Division of Natural Resources – Wildlife Resources Section
Agricultural 4-Ton Wet Lime Spinner Spreader - Tractor Implement

Item #	Item Description	Manufacturer and Model of "Equal" Bids	Qty	Total Cost*
3.1	Agricultural 4-Ton Spinner Spreader- Stolzfus WLS OM or Equal	Stolzfus WLS-40	1	29,800.00

*Delivery is F.O.B destination. Cost must include any delivery or shipping fees.

Delivery to:

WVDNR - Kumbrabow State Forest

219/16 Kumbrabow Road

Huttonsville WV 26273

Gvm Inc

717-253-1228

Vendor Company Name

Phone

Authorized Representative Signature

Date

Print Authorized Representative Name

Title

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Gvm Inc

Authorized Signature: [Signature] Date: 7/11/2026


State of Pennsylvania

County of Adams, to-wit:

Taken, subscribed, and sworn to before me this 15th day of July, 2026

My Commission expires 10-11-, 2028

AFFIX SEAL HERE



NOTARY PUBLIC

[Signature: Linda M. Brown]

Purchasing Affidavit (Revised 01/19/2018)



QUOTE

CUSTOMER West Virginia Division of Natural

7/01/2026

SALESMAN Joe Anderson
717-253-1228

2026 STOLTZFUS 4-TON WLS SPREADER For Dry or Wet Stockpiled Materials

STANDARD EQUIPMENT

- GENERAL**
- Hopper: 84 ft³ (68 bu) struck capacity
 - PTO drive: spinners and body chain
 - 24 in. carbon steel slat-style body chain
 - Dual 24 in. four-blade spinners
 - Walkingbeam Suspension
 - Tandem axle, 64 in. center line
 - Tires: 11L x 15, 8-ply
 - Low Rate Kit for fertilizer (125 lb/ac min.)
 - Light Kit

- SPECS**
- Width: hopper 60 in., overall 75 in.
 - Length: hopper 10 ft, overall 18 ft
 - Height: hopper 31 in., overall 65 in.
 - Weight: 2780 lb
 - Capacity: 84 ft³
 - Wheel track: 64 in.

PRICING AND OPTIONS

ITEM NUMBER	QTY.	DESCRIPTION	USD PRICE	EXTENDED PRICE
	1	4-Ton Wet Lime Spreader	\$26,093.00	\$26,093.00
OPTIONS				
SPR	1	Spring suspension	\$414.00	\$414.00
ORCHARD and VINEYARD OPTIONS				
HCD	1	Hinged center divider for spreading left, right, or both	\$442.00	\$442.00
SINGLE AXLE				
SA19	1	19L tires	\$884.00	\$884.00
COR-TEN				
CT	1	Cor-Ten corrosion-resistant metal hopper	\$3,141.00	\$3,141.00
DRIVE CONFIGURATIONS				
PTOS	1	PTO driven spinners	\$962.00	\$962.00
MISCELLANEOUS				
SUBTOTAL			\$31,936.00	
DISCOUNT			-\$2,056.00	
TOTAL PRICE			\$29,880.00	

A VERSATILE COMBINATION SPREADER THAT CAN SPREAD MANY MATERIALS



Lime Spreaders

WLS 2, 4, 5, 8 and 10 Ton Models



Spread
it yourself and
save

Stockpiled Ag Lime (wet or damp)

Gypsum

Marl

Fertilizer

Compost

Poultry manure

Sand

Much more





Rugged body and suspension

WLS spreaders come standard with a rugged walking beam suspension with heavy duty bolt in spindles and cross torsional support. Handles any load...no problem.

Discover the Stoltzfus Difference

The original wet (damp or stockpiled) lime spreader designed for years of heavy use

For farmers who are dissatisfied with light duty spreaders, the Wet Lime Spreader (WLS) is a machine that is built for spreading wet or damp agricultural lime. Unlike a fertilizer spreader, the Wet Lime Spreader has a 24 inch wide conveyor and steep, 53 degree side slopes to prevent material bridging in the hopper.

The lime pile does not need to be kept dry, and can sit in the corner of your field for months until needed. The lime can then be spread when conditions are right instead of waiting in line for the custom applicator to come around.

Standard features

- 2, 4, 5, 8 and 10 ton capacities
- Orchard/Vineyard configurations
- Fertilizer kit for rates down to 125 lbs/acre
- Sawtooth Delivery™ feature
- Walking beam suspension (Spring suspension on 2 ton)
- Top driven spinners
- Fill-for-life heavy duty gear box (2-8 ton) and heavy duty PTT Hydraulics (10 ton)
- Unibody, fully welded design
- Structural steel frame
- Extra body braces
- 7 gauge steel pan
- 53-degree body sides
- 24" slat style chain
- Telescoping chain tighteners
- Self-alignment idler shaft
- Carbon-steel construction
- Inverted "V" center cover



Ingenuous engineering

Our testing found that sides with a 53° slope provide the best combination of material flow and capacity, and our 4" vertical pan design eliminates bridging.



Unibody construction

Wet Lime Spreaders are actually one solid weldment. That's what makes them so strong. Even the supporting ribs are welded every inch where they attach to the body.



Difference in the details

For example, placing the spinner gearboxes or hydraulic motors above the material flow reduces exposure to corrosive materials. Furthermore, it eliminates vibration and isolates the gearbox from the shock of material pounding on the spinner disk.

"My spreader is 30 years old and still spreading. It's a long lasting spreader, built rugged. I love the spread pattern. Good parts service."

— Richard, Darlington, MD

"You can easily run 100 tons through a day. I bought it 25 years ago and it has saved me a lot of money."

— Merv, Union City, PA

"The best piece of equipment I ever bought. 33 years old. It went through a barn fire and it spreads like the day we bought it."

— Tom, Henderson, MD



The WLS Spreader spreads:

- Stockpiled Ag Lime (wet or damp)
- Beet lime
- Gypsum
- Marl
- Fertilizer
- Compost
- Poultry manure
- Grape hulls
- Sand
- Crushed shells
- Cement plant stack dust
- Wood shavings
- Dirt
- Cover Crops (blended w/fertilizer)

Ask us about your most challenging material.



Smoother material flow

Our special Sawtooth Delivery™ feature prevents material surges for low rates of fertilizer.



Heavy duty drive train

Proven PTO drive system and triple speed drives eliminate slipping. Hydraulic drives are standard on the 10 ton model.



Optional shredder

Heavy duty blades chop up any clumps and gives a smoother flow of material onto the spinners.



Standard tail lights

Light kit increases visibility and safety.



1-800-843-8731

StoltzfusSpreaders.com



All Stoltzfus Wet Lime Spreaders can be configured with hydraulic drives. Your choice of manual controls or Variable Rate Ready (compatible with most controllers).

Upgrade to Variable Rate Technology for better utilization of valuable nutrient inputs.

Popular options

- Self-contained PTO hydraulic drives
- PTO mechanical spinners
- Hydraulic body chain (plug to tractor)
- Variable Rate Ready (compatible with most controllers)
- Spring Suspension (4-8 ton)
- Flotation tires
- Lights
- Tarp & bow
- Roll top tarp
- Cor-Ten® steel hopper
- 304 Stainless steel hopper
- Brakes
- Shredder (breaks up large clumps before they hit the spinners)
- Special wheel tracks
- Single axle
- 1000 RPM PTO
- Corner pockets (for sideboards)



Optional self contained PTO Hydraulic option with oversized oil tank.



Variable Rate Ready option (compatible with most controllers).

STOLTZFUS LIME SPREADER SPECIFICATIONS

Models	20	40	50	50F	80	100
Max. load	2 tons	4 tons	5 ton	5 tons	8 tons	10 tons
Hopper volume	53 cu.ft.	84 cu.ft.	103 cu.ft.	177 cu.ft.	177 cu.ft.	212 cu.ft.
Hopper length	78 in.	120 in.	96 in.	120 in.	120 in.	143 in.
Hopper width	60 in.	60 in.	74 in.	78 in.	78 in.	78 in.
Hopper depth	31 in.	31 in.	41 in.	45 in.	50 in.	50 in.
Overall length	15 ft.	18 ft.	16 ft.	18 ft.	18 ft.	20 ft.
Overall width	75 in.	75 in.	75 in.	78 in.	94 in.	102 in.
Overall height	65 in.	65 in.	75 in.	79 in.	87 in.	89 in.
Axles	1	2	2	2	2	2
Wheel track (center)	64 in.	64 in.	64 in.	64 in.	75 in.	80 in.
Standard tires	11L x 15 8 ply	11L x 15 8 ply	11L x 15 8 ply	11L x 15 8 ply	19L x 16.1 10 ply	21.5L x 16.1 14 ply
Weight	2,100 lbs.	2,800 lbs.	2,750 lbs.	3,400 lbs.	4,300 lbs.	5,200 lbs.



1-800-843-8731

StoltzfusSpreaders.com

Morgantown, PA 19543

Dealer information: