

Header 4

General InformationContactDefault ValuesDiscountDocument InformationClarification Request

Procurement Folder: 2070914	SO Doc Code: ARFQ
Procurement Type: Agency Purchase Order	SO Dept: 0310
Vendor ID: VS0000042984	SO Doc ID: DNR2700000005
Legal Name: RED VEST SUPPLY LLC	Published Date: 10/5/26
Alias/DBA:	Close Date: 10/13/26
Total Bid: \$354,448.37	Close Time: 13:30
Response Date: 10/06/2026	Status: Closed
Response Time: 9:09	Solicitation Description: Addendum No. 01-Two-Tracked Snow Groomer w/Attachments BWF
Responded By User ID: Redvestsupply	Total of Header Attachments: 4
First Name: Michael	Total of All Attachments: 4
Last Name: Lackey	
Email: govsales@redvestsupply.com	
Phone: 7403577375	

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: ARFQ DNR27*05

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification. Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

☒	Addendum No. 1	☐	Addendum No. 6
☐	Addendum No. 2	☐	Addendum No. 7
☐	Addendum No. 3	☐	Addendum No. 8
☐	Addendum No. 4	☐	Addendum No. 9
☐	Addendum No. 5	☐	Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Red Vest Supply, LLC

Company

Michael Lackey

Authorized Signature

10/6/2026

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

Quotation

RED VEST SUPPLY
1656 Lynnbrook Ct.
Orient, Ohio 43146
Phone (740) 357-7371



DATE 10/06/26
Quotation # ARFQ-0310-
DNR2700000005-1
Customer ID STWV

Quotation For:
STATE OF WEST
VIRGINIA

Quotation valid until: 11-06-2026

Comments or Special Instructions:

SPEC SHEET(S) ATTACHED

SALESPERSON	P.O. NUMBER	LEAD TIME	SHIP VIA	F.O.B. POINT	TERMS
Ashley Frazier		6 - 8 WEEKS			Net 30 Days

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1	PistenBully 100 (2.5 M 8' working width) - Standard Front Mount - 2.8M 12 Way ALLWAY Blade - 2.5M Snow Tiller w/ Hyd. Side Finishers - DELIVERY AND SET UP INCLUDED - STANDARD CUMMINS ENGINE WARRANTY - 2 YEARS / 3000 HOURS ** EXTENDED ENGINE WARRANTY W/ DEF SYSTEMS COVERAGE (5 YEARS / 6000 HOURS) - covers parts ; labor ; and travel ALSO INCLUDED **	\$ 354,448.35	\$ 354,448.35
1	Groomer Front Blade and Mount - ALL INCLUSIVE PRICING IN LINE ITEM 1	\$ 0.01	\$ 0.01
1	Groomer Rear Power Tiller - ALL INCLUSIVE PRICING IN LINE ITEM 1	\$ 0.01	\$ 0.01

SUBTOTAL	\$ 354,448.37
TAX RATE	0.00%
SALES TAX	\$ 0.00
OTHER	-
TOTAL	\$ 354,448.37

If you have any questions concerning this quotation, contact sales@redvestsupply.com



Technical data

PistenBully 100

Engine	
Type	Cummins QSB 6.7
Number of cylinders	6
Displacement	6.70 l / 6,700 ccm
Power output (ECE)	186 kW / 253 hp
Emission standard	EU Stage V, Tier 4f
Max. torque	990 Nm / 1,500 rpm
Tank capacity	155 l
Tank capacity DEF (AdBlue®)	19 l
Fuel consumption	from 8.5 l/h
Drive pump	105 ccm
Traction drive	80 ccm
Tiller drive pump	71 ccm
Tiller drive	90 ccm

Driving characteristics	
Speed	0 – 25 km/h, infinitely variable
Turning radius	on the spot
Electrical	
Low-Voltage System	24V
Alternator	28V / 120A
Batteries	2 x 12V / 100Ah
Cold start rating	680A

Lightning	
Front	4 halogen headlights, 2 LED working lights on the handrail 2 LED rotating beacons
Rear	2 LED working lights
Cab	
Driver's seat	adjustable, air-sprung
Operating elements	switches, iTerminal
Windows	heated front and rear windows, sliding side windows, heated
Rear mirrors	heated, elec. adjustable, wide-angle
Wipers	coolant-heated, heating electrically controlled



Weight

Tare weight*	with Combi tracks	from 5,000 kg
	with X-Track	from 4,760 kg
Permissible gross weight		7,500 kg
Payload on platform		1,500 kg

*In acc. with ISO 1176/M6, net weights may vary depending on equipment.

Dimensions

Width	without tracks	2,300 mm
	over Combi tracks / steel tracks	2,480 mm / 2,800 mm / 3,120 mm
	over X-Track	2,510 mm / 2,800 mm
	over snow tiller (transport width)	3,310 mm / 3,640 mm / 3,930 mm
	over snow tiller with folding side finishers up to	4,200 mm / 4,550 mm / 4,850 mm
Blade	width open	3,391 mm / 3,791 mm
	width wide	2,820 mm / 3,220 mm
	Height	803 mm
Height	with tracks (depending on additional options) when driver's cab tilted	2,620 mm to 2,740 mm 3,140 mm
Ground clearance		320 mm
Length	with blade, tiller and track setter	8,930 mm
Load area	Length	1,620 mm
	Width	1,920 mm
Recommended Length (track setters folded up)		8,000 mm
garage	Width	4,900 mm
dimensions	Height	3,200 mm

SPECS Confirmation from MFR –

1. YES the cab meets ROPS Standard J1040.
2. YES the Aux hydraulics functions for front and rear attachments are fully adjustable via the touchscreen.
3. YES the unit has a closed center hydraulic system with positive filter feed.
4. YES the cab is hydraulically capable of listing to provide service access.
5. YES the 2.5M kombi tracks utilize high strength rubber belting and heavy duty aluminum cleats with integrated steel edges.
6. YES the unit uses 2 swing bolts quick attach system for the 2.8M 12 way blade and mount.
7. YES the quoted unit rear power tiller 2.5M does not exceed 3M width, YES it also utilizes a quick attach system via 2 swing bolts.
8. YES the unit and attachments can be delivered within 60 calendar days after receipt of purchase.

Our prices are an all-in-one price for all the items listed in a quote, depending on width not per item within the machine. We wouldn't be able to give a price break down of each of the three items asked.